



TEXAS WINDSTORM  
INSURANCE ASSOCIATION

## MEMORANDUM

---

DATE: January 13, 2023

TO: David Durden, General Manager

FROM: James Murphy, Chief Actuary | Vice President, Enterprise Analytics

RE: 2023 Funding – 100-Year Probable Maximum Loss and Reinsurance

---

The Association is required by statute to maintain total available loss funding in an amount not less than the Association's probable maximum loss (PML) for a catastrophe year with a one-in-100-year probability. At its December 6, 2022 meeting, the TWIA Board of Directors asked the Actuarial & Underwriting Committee for its recommendations in determining the 100-year PML for the 2023 hurricane season. The Committee met on January 11, 2023 and I have included the Committee's recommendations below, along with the resolutions passed by the Board last year, a resolution template for the current hurricane season, and additional reference exhibits. TWIA's catastrophe modeler, Aon, has prepared a presentation for the Board, attached, and will be in attendance at the January 19, 2023 Board meeting to discuss and answer any questions from the Board.

### TWIA Actuarial & Underwriting Committee Recommendations

The following recommendations were made by the TWIA Actuarial & Underwriting Committee at its January 11, 2023 meeting:

1. The Committee recommends to average the results from the catastrophe models presented as a reference point for making the Board's determination of the 100-year PML using the following weighting: AIR 50%, RMS 50%, Impact Forecasting 0%, CoreLogic RQE 0%.
2. The Committee recommends that the model results based on long term assumptions are preferable.
3. The Committee recommends that the words, "total available loss funding" in statute contemplate inclusion of loss adjustment expenses in determining the probable maximum loss for the Association for a catastrophe year with a probability of one in one hundred.
4. The Committee recommends based on the foregoing and the information presented that for catastrophe year 2023 the one in one hundred probable maximum loss amount is \$5.244 billion.



## TWIA Board Resolutions for the 2022 Hurricane Season

The following resolutions were made by the TWIA Board of Directors at its March 22, 2022 meeting:

1. The Board agrees to average the results from the four catastrophe models presented as a reference point for making its reinsurance purchase decision using the following weighting: AIR 25%; RMS 25%; Impact Forecasting 25%; and CoreLogic RQE 25%.
2. The Board agrees that the model results based on near term assumptions are preferable.
3. The Board agrees that the words, "total available loss funding" in statute contemplate inclusion of loss adjustment expenses in determining the probable maximum loss for the Association for a catastrophe year with a probability of one in one hundred.
4. The Board agrees based on the foregoing and the information presented that for catastrophe year 2022 the one in one hundred probable maximum loss amount is \$4.236 billion.
5. The Board directs the Association's reinsurance broker to pursue placement of the reinsurance program for the 2022-2023 reinsurance contract year using a combination of catastrophe bonds and traditional reinsurance in an aggregate amount of \$4.236 billion (\$2.036 billion excess of \$2.2 billion) on the most favorable terms that can be achieved in the market.
6. Staff is authorized and directed to submit these resolutions and supporting information to the Texas Department of Insurance for any review or approval that may be required by the Commissioner of Insurance under law.

## Template for TWIA Board Resolutions for the 2023 Hurricane Season

Following is a template form based on the Board's resolutions from last March to assist the Board in formulating resolutions for adoption at its January 19, 2023 meeting:

1. The Board agrees to average the results from the catastrophe models presented as a reference point for making its reinsurance purchase decision using the following weighting: AIR \_\_% RMS \_\_% IF \_\_% RQE \_\_%.
2. The Board agrees that the model results based on [near] [long] term assumptions are preferable.
3. The Board agrees that the words, "total available loss funding" in statute contemplate [inclusion] [exclusion] of loss adjustment expenses in determining the probable maximum loss for the Association for a catastrophe year with a probability of one in one hundred.
4. The Board agrees based on the foregoing and the information presented that for catastrophe year 2023 the one in one hundred probable maximum loss amount is \$\_\_\_ billion.
5. The Board directs the Association's reinsurance broker to pursue placement of the reinsurance program for the 2023-2024 reinsurance contract year using a combination of catastrophe bonds

and traditional reinsurance in an aggregate amount of \$\_\_\_ billion (\$\_\_\_ billion excess of \$2.28 billion) on the most favorable terms that can be achieved in the market.

6. Staff is authorized and directed to submit these resolutions and supporting information to the Texas Department of Insurance for any review or approval that may be required by the Commissioner of Insurance under law.

#### Additional Reference Information

Texas Administrative Code Rule §5.4160 requires the Association to discuss determining its one-in-100-year probable maximum loss for the year at the Association's first regular board meeting each year. Following the discussion at this meeting, the Association must determine its one in-100-year probable maximum loss for the year and disclose it to the Commissioner not later than April 1. The Association must disclose its method for determining its one-in-100-year probable maximum loss at the same time. The determination and information must be disclosed each year, regardless of whether the Association requests a reinsurance assessment.

Neither the statute nor TDI's rule guidance specify how the Association must determine its one-in-100-year probable maximum loss. However, the rule describes the information that must be included regarding the methodology used to determine the one-in-100-year probable maximum loss. This information has been provided in the attached summary. The rule can be found in its entirety online at the following link: [Rule §5.4160](#).

In 2019, the Texas Legislature enacted statutory changes that require the Association to assess its member insurers to pay for any reinsurance it purchases in excess of the Association's 1:100 statutory minimum funding level. Member assessments to pay for this excess reinsurance are distinct from member assessments to pay losses and would not affect the Association's ability to assess member companies for excess losses incurred.

Sec. 2210.453(f) of the Texas Insurance Code prohibits the Association from purchasing reinsurance from an insurer or broker involved in the execution of a catastrophe model on which the Association relies in determining the probable maximum loss applicable for the period covered by the reinsurance. TWIA's reinsurance broker, Gallagher Re, has not been involved in the execution of any of the catastrophe models to be relied on by the Board in determining the 100-year probable maximum loss.

JM



**AON**

# Texas Windstorm Insurance Association

January 2023





# Contents

## Texas Windstorm Insurance Association

- 1 Exposure Change
- 2 Modeled Loss Change
- 3 Multi-Model Comparison
- 4 Texas Hurricane Model Comparison – Hazard Differences
- 5 Texas Hurricane Model Comparison – Coastal Vulnerability Differences
- 6 Selecting a View of Risk

## Appendix

- A Catastrophe Analytics Supplement
- B Modeling Firm Disclaimers



1

# Exposure Change

AON





# Exposure Change

## Year-Over-Year Exposure Summary

County	2022 Exposure	2021 Exposure	% Change Exposure
Jefferson	8,491,425,848	6,611,486,959	28.4%
Chambers	2,321,785,586	1,585,395,677	46.4%
Harris	1,549,856,289	1,272,272,205	21.8%
Galveston	29,307,918,350	23,778,480,935	23.3%
Brazoria	14,149,674,000	10,243,236,298	38.1%
Matagorda	1,531,677,501	1,281,962,878	19.5%
Calhoun	1,344,452,901	1,112,545,894	20.8%
Refugio	116,687,821	98,950,881	17.9%
Aransas	2,809,312,335	2,057,222,229	36.6%
San Patricio	2,497,199,720	1,771,761,160	40.9%
Nueces	14,875,727,997	12,103,454,712	22.9%
Kleberg	236,761,530	182,454,507	29.8%
Kenedy	7,457,823	3,501,441	113.0%
Willacy	109,451,634	93,572,782	17.0%
Cameron	3,516,100,296	3,026,803,086	16.2%
Total	82,865,489,629	65,223,101,644	27.0%



2

Modeled Loss Change

AON





# Modeled Loss Change

## Verisk Touchstone v9 AEP Gross Losses (excl. LAE)

### AEP - All Perils (Warm Sea Surface Temperature)

Return Period	Verisk v9 11/30/2022	Verisk v9 11/30/2021	Loss Change
1000 yr	13,905.9	11,392.5	22.1%
500 yr	12,293.9	9,900.7	24.2%
250 yr	8,859.2	7,106.8	24.7%
200 yr	7,966.8	6,387.9	24.7%
100 yr	5,615.0	4,540.4	23.7%
50 yr	3,248.2	2,612.5	24.3%
25 yr	1,691.4	1,342.3	26.0%
20 yr	1,377.5	1,077.0	27.9%
Annual avg	290.1	230.2	26.0%
Std dev	1,123.2	908.6	23.6%

US \$ in Millions

Including Demand Surge, Excluding Storm Surge

#### Average Annual Loss

Measure of overall catastrophe risk, function of both severity and frequency of losses  
On average, you can expect to incur \$290.1M (Verisk v9) of catastrophe loss in a given year

#### Probable Maximum Loss (PML) or Return Period Loss

An estimate of the likelihood that a catastrophic loss will be met or exceeded  
The Verisk v9 100 yr return period is \$5,615M – There is a 1% probability of having a loss of \$5,615M or greater

#### Occurrence Exceedance Probability (OEP)

Probability that the single largest event loss in a year will exceed a loss threshold  
Calculated by taking the max of all losses in each simulated year  
Occurrence EP summary tells us how bad a single event can be and how likely it is to be that bad

#### Aggregate Exceedance Probability (AEP)

Probability that the aggregate event losses in a year will exceed a loss threshold  
Calculated by taking the sum of all losses in each simulated year  
Aggregate EP summary tells us how bad a year can be and how likely it is to be that bad  
**TWIA purchases their Cat XOL cover based on the aggregate perspective**



# Modeled Loss Change

RMS RiskLink v21 AEP Gross Losses (excl. LAE)

## AEP - All Perils (Near-Term)

Return Period	RMS v21 11/30/2022	RMS v21 11/30/2021	Loss Change
1000 yr	12,813.7	9,953.5	28.7%
500 yr	9,480.5	7,374.0	28.6%
250 yr	6,519.2	5,095.2	27.9%
200 yr	5,786.2	4,523.3	27.9%
100 yr	3,944.4	3,091.5	27.6%
50 yr	2,447.7	1,932.2	26.7%
25 yr	1,376.8	1,093.6	25.9%
20 yr	1,118.7	891.3	25.5%
Annual avg	241.1	191.2	26.1%
Std dev	958.1	748.5	28.0%

US \$ in Millions

Including Demand Surge, Excluding Storm Surge



# Modeled Loss Change

## Impact Forecasting v15 AEP Gross Losses (excl. LAE)

### AEP - All Perils (Near-Term)

Return Period	IF v15 11/30/2022	IF v15 11/30/2021	Loss Change
1000 yr	9,605.2	8,009.2	19.9%
500 yr	8,250.0	6,927.3	19.1%
250 yr	6,599.3	5,512.0	19.7%
200 yr	5,899.1	4,963.2	18.9%
100 yr	4,318.7	3,601.0	19.9%
50 yr	2,808.7	2,353.0	19.4%
25 yr	1,683.8	1,406.0	19.8%
20 yr	1,345.4	1,121.5	20.0%
Annual avg	263.1	220.2	19.5%
Std dev	866.5	725.5	19.4%

US \$ in Millions

Including Demand Surge, Excluding Storm Surge



# Modeled Loss Change

## CoreLogic RQE v21 AEP Gross Losses (excl. LAE)

### AEP - All Perils (Near-Term)

Return Period	RQE v21 11/30/2022	RQE v21 11/30/2021	Loss Change
1000 yr	10,305.6	8,980.7	14.8%
500 yr	8,286.9	7,201.1	15.1%
250 yr	6,427.2	5,557.9	15.6%
200 yr	5,867.3	5,042.1	16.4%
100 yr	4,102.1	3,502.0	17.1%
50 yr	2,470.2	2,124.7	16.3%
25 yr	1,285.2	1,089.9	17.9%
20 yr	1,006.8	853.7	17.9%
Annual avg	216.6	182.4	18.8%
Std dev	821.6	709.5	15.8%

US \$ in Millions

Including Demand Surge, Excluding Storm Surge



# 3

## Multi-Model Comparison

AON






# Multi-Model Comparison – All Perils

Combined Hurricane (Near-Term) & Severe Conv. Storm AEP Gross Losses (excl. LAE)

## AEP - All Perils (Near-Term/Warm Sea Surface Temperature)

Return Period	Verisk v9	RMS v21	IF v15	RQE v21
1000 yr	13,905.9	12,813.7	9,605.2	10,305.6
500 yr	12,293.9	9,480.5	8,250.0	8,286.9
250 yr	8,859.2	6,519.2	6,599.3	6,427.2
200 yr	7,966.8	5,786.2	5,899.1	5,867.3
100 yr	5,615.0	3,944.4	4,318.7	4,102.1
50 yr	3,248.2	2,447.7	2,808.7	2,470.2
25 yr	1,691.4	1,376.8	1,683.8	1,285.2
20 yr	1,377.5	1,118.7	1,345.4	1,006.8
Annual avg	290.1	241.1	263.1	216.6
Std dev	1,123.2	958.1	866.5	821.6



US \$ in Millions

Including Demand Surge, Excluding Storm Surge



# Multi-Model Comparison – Hurricane

## Hurricane AEP Gross Losses (excl. LAE)

### AEP - Hurricane Only (Near-Term/Warm Sea Surface Temperature)

Return Period	Verisk v9	RMS v21	IF v15	RQE v21
1000 yr	13,905.7	12,847.8	9,591.2	10,283.4
500 yr	12,279.5	9,516.2	8,238.9	8,280.5
250 yr	8,852.2	6,556.5	6,582.5	6,410.5
200 yr	7,964.9	5,819.9	5,886.7	5,860.6
100 yr	5,605.7	3,968.4	4,309.8	4,070.7
50 yr	3,222.5	2,463.3	2,801.3	2,458.9
25 yr	1,676.0	1,379.7	1,672.7	1,264.1
20 yr	1,354.9	1,117.1	1,334.9	979.4
Annual avg	274.0	224.4	247.4	199.6
Std dev	1,123.1	957.9	866.2	820.5

US \$ in Millions

Including Demand Surge, Excluding Storm Surge



# Multi-Model Comparison – Severe Convective Storm

## Severe Convective Storm AEP Gross Losses (excl. LAE)

### AEP - Severe Conv. Storm

Return Period	Verisk v9	RMS v21	IF v15	RQE v21
1000 yr	466.4	195.2	269.5	524.4
500 yr	347.6	161.8	182.9	384.1
250 yr	270.5	133.6	125.0	270.6
200 yr	253.3	125.1	109.1	235.2
100 yr	175.5	100.5	76.7	155.6
50 yr	113.7	78.8	58.6	108.2
25 yr	71.4	59.6	46.3	72.8
20 yr	59.6	53.9	42.8	63.3
Annual avg	16.1	16.6	15.7	17.0
Std dev	36.6	22.0	23.0	42.5

US \$ in Millions

Including Demand Surge (where available)



# 4

## Texas Hurricane Model Comparison - Hazard Differences






# Texas Statewide & Regional Landfall Rates

Both models reflect the historical behavior of higher landfall rates on the northern coast, followed by the central coast and then the southern coast – but Model A has higher rates statewide

Texas Long-Term Landfall Rate  
Per 100 Years by Region and Model  
*Historical Rate (1900-2020) in red*



Texas Historical Landfalls  
1900-2020  
*Landfall data from HURDAT2  
(February 2022 Vintage)*




Note: Model vendors calibrate rates regionally and include varying degrees of “extension” into Mexico in order to capture the losses from events that do not make a direct landfall on Texas but still have an impact to losses. Modeled and historical rates shown here are only for direct landfalls on Texas.




# Hazard Return Period

In general, Model A has greater wind hazard than Model B on the northern coast, where population and TWIA exposure is greatest – contributing to higher losses

Peak Gust Hazard Curves



Wind Speed Difference  
100-Year Hazard Return Period





# Frequency of High Wind Gusts

All along the Texas coastline, and particularly in populated Brazoria County and Galveston County, Model A has a greater frequency than Model B of very high wind speeds


Annual modeled frequency of a location in the TWIA counties experiencing an event with a 180 mph gust

Model A	Model B
1 in 111 years	1 in 250 years

Modeled TWIA AAL from these events

Model A	Model B
19%	10%

Difference in Frequency of Peak Gusts Over 180 mph





# What Types of Events are Driving Losses in Each Model?

## Maximum Peak Gust

Losses are more likely to be driven by very high (>160 mph) wind speeds in Model A than in Model B

### Dollar Contribution to AAL by Event Maximum Peak Gust

Average Annual Loss (AAL)

Model A




Model B




100-year Probable Maximum Loss (PML)


Model A



Model B



### Event Maximum 3-Second Peak Gust






# What Types of Events are Driving Losses in Each Model?

## Landfall Region

Losses are more likely to be driven by a landfall on the northern coast in Model A than in Model B





5

## Texas Hurricane Model Comparison – Coastal Vulnerability Differences





# Texas Building Codes

How is TWIA different than the rest of the state?

## Texas Building Code Adoption and Enforcement


- Texas legislature adopted the 2000 IRC in 2001
  - Did not require mandatory adoption throughout the state
- All incorporated cities have adopted the code, but most unincorporated county jurisdictions have not
- 2017 state law requires unincorporated areas of certain counties to provide an inspection report showing construction complies with the current code
  - Potential conflict of interest as inspector is hired by the builder

## What Does IBHS Say About Texas Building Code Adoption and Enforcement?

- Ranked #15 out of 18 coastal states
- Texas received a score of 34/100
- Unincorporated coastal communities are particularly vulnerable

## How is TWIA Different than the State of Texas?

- TWIA requires mandatory adoption and enforcement of high wind standards in the IBC





# Year Built by Model Vendor

## Year Built Bands by Model Vendor for the State of Texas



Both models use year built bands to differentiate key points in time when building code adoption and enforcement was impacted

Bands vary by model vendor and do not always align well with TWIA, which has more stringent building code adoption and enforcement requirements than the rest of the state

### What Does this Mean for TWIA?

- Out-of-the-box view may not reflect the more stringent construction and inspection processes for risks insured by TWIA
- TWIA could consider a custom view of risk that better reflects the higher standard required by TWIA relative to the rest of the state
- This could be achieved through:
  - Different secondary modifier assumptions
  - Loss factor adjustments
  - Custom vulnerability curves
- Potential data modification or adjustments could be validated against detailed claims data



# Texas Residential Hurricane Vulnerability by Year Built

TWIA Gross AAL by Model and Year Built  
Exposure as of 11/30/2021

	Model A	Model B	% Difference
Pre-1995	165.1	129.4	28%
1995 to 2001	19.4	14.9	30%
2002 to 2008	17.8	16.6	7%
Post-2008	15.3	17.2	-11%
Total	217.6	178.1	22%

Based on near-term rates.  
Includes demand surge. Excludes storm surge.

Vulnerability is comparable between models for older risks, but severity of loss is much greater for coastal risks in Model A

Model B vulnerability is more conservative than that of Model A for newer year builds, resulting in more similar losses for these risks



TWIA Exposure by Year Built for Single Family Risks



Single Family Wood Frame Building Vulnerability by Year Built







# What About Storm Surge?

## When a hurricane analysis is run in Model A...

Damage to both wind and storm surge are considered




Wind Damage Ratio




Storm Surge Damage Ratio

Wind and storm surge damage is normalized to 100% where damage exceeds 100% from the combined perils, **even when storm surge is not modeled**



Wind Damage Ratio




Storm Surge Damage Ratio

VS.

## When a hurricane analysis is run in Model B...


Full damage from wind is considered and storm surge is ignored for wind-only analyses



Wind Damage Ratio

## What does this mean for wind-only loss estimates?

Wind-only loss estimates may be understated for locations that are subject to events that result in both significant wind and storm surge effects



Impact of storm surge normalization in the Model A vulnerability curve reduces wind damage in Model A relative to Model B at wind speeds greater than 170 mph peak gust

The impact of storm surge normalization in Model A can be meaningful for individual events at select locations but is minimal overall



6

TWIA View of Risk

AON





# Model Choice

Who are the Modeling Firms?

## Model Vendor



## Model Vendor Ownership



## What's in the Pipeline?



New model platforms



Regular hurricane model updates to maintain compliance with FCHLPM standards + some vendors are considering more meaningful enhancements



Outdated SCS models for most model vendors are being updated



# Modeled Alternative Hurricane Landfall Rates

**All models have alternative views of landfall rates to address elevated sea surface temperatures and/or near-term basin conditions**

**The RMS model provides a “Medium-Term” event set**

- Five-year forward-looking estimate of landfall rates
- Ensemble approach based on 13 statistical models
  - Each reflects a different theory on drivers of hurricane activity
  - Considers current and projected near-term climate trends
- Can result in both higher or lower landfall rates relative to the historical perspective
- Pros: Current and comprehensive
- Cons: Volatile and complicated

**Other models provide a “Warm Sea Surface Temperature” or “Near-Term” event set**

- Based on a subset of the historical years in which sea surface temperatures are warmer than average
- Years designated as “warmer than average” vary by model
- Results in higher landfall rates = higher losses
- Pros: Stable and transparent
- Cons: Based on limited historical data



Source: AIR 2018



Source: RMS 2018



# Secondary Modifier Impacts

Secondary Modifier completeness largely unchanged year-over-year, mitigating any adverse impact by roll-on portfolio

Improvement in capture of known modifiers will continue to improve model accuracy of the portfolio

## AIR Worldwide Corporation

AEP		
Return	HUNT	TO
Period	2nd Mod Impact %	2nd Mod Impact %
250 yr	(5.6%)	(6.0%)
200 yr	(5.7%)	(6.0%)
100 yr	(6.9%)	(4.8%)
50 yr	(7.4%)	(7.0%)
Annual avg	(6.4%)	(5.5%)

## Risk Management Solutions, Inc.

AEP		
Return	HUNT	TO
Period	2nd Mod Impact %	2nd Mod Impact %
250 yr	(6.5%)	(5.9%)
200 yr	(6.5%)	(5.9%)
100 yr	(6.2%)	(6.2%)
50 yr	(5.8%)	(6.4%)
Annual avg	(5.3%)	(6.3%)

- Inclusion of secondary modifiers decreases modeled loss by 5%-7% at key return periods by peril/model
- Study completed on 11/30/2021 data



# Historical Perspective

## OEP - Hurricane Only (Near-Term/Warm Sea Surface Temperature)

Return Period	Verisk v9	RMS v21	IF v15	RQE v21
1000 yr	13,905.7	12,847.8	9,336.2	10,073.9
500 yr	12,007.9	9,516.2	7,869.8	8,038.7
250 yr	8,202.7	6,556.5	6,338.8	6,199.0
200 yr	7,734.3	5,819.9	5,666.3	5,645.5
100 yr	5,467.7	3,968.4	4,142.2	3,877.2
50 yr	3,055.4	2,463.3	2,665.7	2,319.8
25 yr	1,555.3	1,379.7	1,593.2	1,179.4
20 yr	1,239.8	1,117.1	1,266.6	909.1
Annual avg	274.0	224.4	247.4	199.6
Std dev	1,123.1	957.9	866.2	820.5

US \$ in Millions

Including Demand Surge, Excluding Storm Surge

Variability in both loss magnitude and share indicates a need for more insightful view of historical experience and catastrophe models

- Trended TWIA losses indicate that the Cat program could be significantly (Harvey) to completely (Ike) impacted if events similar to those in the historical catalog were to occur again
- TWIA market share of total PCS event loss carries significant variation, indicating potential for outsized impact on the program
- Trended PCS losses shown using CAS Collins & Lowe methodology through Feb. 2022
  - Trended TWIA losses excl. LAE calculated using market share from orig. PCS events
- PCS Industry losses cited below exclude flood and auto loss
- Recast loss shows high degree of model variability and extreme event potential if a storm similar to the 1900 Galveston hurricane were to occur again

Named Storm	Orig Incurred Loss & ALAE	Trended Incurred excl. 15% LAE	TWIA % Share excl. 15% LAE	Orig. PCS	Trended PCS
				Res+Comm Loss	Res + Comm Loss
Hurricane Bret	6.5	14.9	20%	28.0	75.5
Hurricane Claudette	16.9	31.2	17%	85.0	184.7
Hurricane Rita	161.9	264.8	7%	2,005.0	3,858.1
Hurricane Dolly	327.2	451.0	56%	495.0	802.8
Hurricane Ike	2,443.9	3,368.2	22%	9,500.0	15,403.1
Tropical Storm Hermine	6.0	7.9	5%	110.0	170.0
Hurricane Harvey	1,535.8	1,558.5	8%	15,850.0	18,922.7
Hurricane Hanna	12.0	10.7	3%	295.2	309.4
Hurricane Laura	21.9	19.5	3%	601.0	629.9
Hurricane Delta	22.0	19.6	11%	166.8	174.8

\*Losses shown US \$ in Millions

Recast Event	AIR Gross Loss	RMS Gross Loss
Hurricane Harvey	1,669.3	841.8
Hurricane Ike	1,085.7	789.6
Hurricane Rita	424.7	313.2
Hurricane Alicia	692.4	575.7
Hurricane Carla	1,266.9	747.9
1900 Galveston Hurricane	7,452.4	4,280.6

\*Losses shown US \$ in Millions



# Discussion of the 100 yr PML Threshold

Model	Weight	All Perils (Near-Term/WarmSST)		All Perils (Long-Term/Standard)		HU Only (Near-Term/WarmSST)		HU Only (Long-Term/Standard)	
		100yr PML - AEP	100yr PML - OEP	100yr PML - AEP	100yr PML - OEP	100yr PML - AEP	100yr PML - OEP	100yr PML - AEP	100yr PML - OEP
AIR v9	25%	5,615.0	5,467.7	5,200.0	4,983.6	5,605.7	5,467.7	5,194.1	4,983.6
RMS v21	25%	3,944.4	3,797.5	3,920.3	3,781.9	3,968.4	3,968.4	3,944.6	3,782.0
IF v15	25%	4,318.7	4,142.2	4,170.9	4,001.3	4,309.8	4,142.2	4,155.8	4,001.3
RQE v21	25%	4,102.1	3,876.8	3,619.5	3,463.6	4,070.7	3,877.2	3,601.0	3,464.4
Blend	100%	4,495.1	4,321.1	4,227.7	4,057.6	4,488.7	4,363.9	4,223.9	4,057.8
Blend w/ LAE	100%	5,169.3	4,969.2	4,861.8	4,666.2	5,162.0	5,018.5	4,857.5	4,666.5

Model	Weight	All Perils (Near-Term/WarmSST)		All Perils (Long-Term/Standard)		HU Only (Near-Term/WarmSST)		HU Only (Long-Term/Standard)	
		100yr PML - AEP	100yr PML - OEP	100yr PML - AEP	100yr PML - OEP	100yr PML - AEP	100yr PML - OEP	100yr PML - AEP	100yr PML - OEP
AIR v9	50%	5,615.0	5,467.7	5,200.0	4,983.6	5,605.7	5,467.7	5,194.1	4,983.6
RMS v21	50%	3,944.4	3,797.5	3,920.3	3,781.9	3,968.4	3,968.4	3,944.6	3,782.0
IF v15	0%	4,318.7	4,142.2	4,170.9	4,001.3	4,309.8	4,142.2	4,155.8	4,001.3
RQE v21	0%	4,102.1	3,876.8	3,619.5	3,463.6	4,070.7	3,877.2	3,601.0	3,464.4
Blend	100%	4,779.7	4,632.6	4,560.1	4,382.7	4,787.0	4,718.1	4,569.4	4,382.8
Blend w/ LAE	100%	5,496.7	5,327.5	5,244.1	5,040.1	5,505.1	5,425.8	5,254.8	5,040.2

LAE 15%



# 100 yr PML Limit Comparison Year-Over-Year

	2022 Placement	2023 Placement	\$ Difference	% Difference
100 Yr Selected PML	4,236.3	5,169.3	933.0	22.0%
Retention	2,200.0	2,280.0	80.0	3.6%
Limit Required	2,036.3	2,889.3	853.0	41.9%
US \$ in Millions				

11/30/2022 Results: future exposure change and inflation is excluded from this perspective



# Contacts

**James Conroy**

Executive Managing Director  
Aon Reinsurance Solutions

**Melisa Linder**

Senior Managing Director  
Aon Reinsurance Solutions

**Katie Carter**

Managing Director  
Aon Reinsurance Solutions

**Daniel Schwietz**

Director  
Aon Reinsurance Solutions

**Dan Dick**

Executive Managing Director  
Aon Reinsurance Solutions

**Minchong Mao**

Senior Managing Director  
Aon Reinsurance Solutions

**Hailey Smith**

Director  
Aon Reinsurance Solutions

**Aon**


5005 LBJ Freeway  
Suite 1400  
Dallas, TX 75244

+1 214 989 2100

[www.aon.com](http://www.aon.com)

© Aon 2022. | All rights reserved.  
This document is intended for general information purposes only and should not be construed as advice or opinions on any specific facts or circumstances. The comments in this summary are based upon Aon's preliminary analysis of publicly available information. The content of this document is made available on an "as is" basis, without warranty of any kind. Aon disclaims any legal liability to any person or organization for loss or damage caused by or resulting from any reliance placed on that content. Aon reserves all rights to the content of this document.





## Appendix A

# Catastrophe Analytics Supplement





# Exposure Change by Line of Business

## Year-Over-Year Exposure Summary

County	2022 Exposure				2021 Exposure				% Change Exposure			
	Commercial	Mobile Home	Residential	Total	Commercial	Mobile Home	Residential	Total	Commercial	Mobile Home	Residential	Total
Jefferson	498,049,575	4,143,950	7,989,232,323	8,491,425,848	312,902,692	2,574,950	6,296,009,317	6,611,486,959	59.2%	60.9%	26.9%	28.4%
Chambers	66,074,529	4,000,243	2,251,710,814	2,321,785,586	55,038,755	2,497,152	1,527,859,770	1,585,395,677	20.1%	60.2%	47.4%	46.4%
Harris	123,247,176	192,000	1,426,417,113	1,549,856,289	34,468,064	200,500	1,237,603,641	1,272,272,205	257.6%	-4.2%	15.3%	21.8%
Galveston	3,140,710,659	14,430,568	26,152,777,123	29,307,918,350	2,517,441,555	12,785,367	21,248,254,014	23,778,480,935	24.8%	12.9%	23.1%	23.3%
Brazoria	460,867,981	13,882,389	13,674,923,630	14,149,674,000	355,776,456	11,607,542	9,875,852,300	10,243,236,298	29.5%	19.6%	38.5%	38.1%
Matagorda	103,140,131	1,919,807	1,426,617,563	1,531,677,501	75,961,563	1,350,907	1,204,650,408	1,281,962,878	35.8%	42.1%	18.4%	19.5%
Calhoun	131,887,632	4,434,394	1,208,130,875	1,344,452,901	115,305,088	4,109,896	993,130,910	1,112,545,894	14.4%	7.9%	21.6%	20.8%
Refugio	18,576,730	1,556,800	96,554,291	116,687,821	20,479,733	1,176,804	77,294,344	98,950,881	-9.3%	32.3%	24.9%	17.9%
Aransas	334,111,773	10,181,130	2,465,019,432	2,809,312,335	252,534,304	8,361,889	1,796,326,036	2,057,222,229	32.3%	21.8%	37.2%	36.6%
San Patricio	133,727,579	3,971,912	2,359,500,229	2,497,199,720	101,011,954	2,714,051	1,668,035,155	1,771,761,160	32.4%	46.3%	41.5%	40.9%
Nueces	2,453,933,896	2,149,100	12,419,645,002	14,875,727,997	1,652,394,652	1,913,700	10,449,146,360	12,103,454,712	48.5%	12.3%	18.9%	22.9%
Kleberg	22,736,963	-	214,024,567	236,761,530	17,079,158	-	165,375,349	182,454,507	33.1%	N/A	29.4%	29.8%
Kenedy	694,441	144,500	6,618,882	7,457,823	694,441	144,500	2,662,500	3,501,441	0.0%	0.0%	148.6%	113.0%
Willacy	19,550,150	326,045	89,575,439	109,451,634	17,523,860	326,045	75,722,877	93,572,782	11.6%	0.0%	18.3%	17.0%
Cameron	1,232,168,354	2,695,600	2,281,236,342	3,516,100,296	1,012,077,170	2,927,618	2,011,798,298	3,026,803,086	21.7%	-7.9%	13.4%	16.2%
Total	8,739,477,568	64,028,438	74,061,983,623	82,865,489,629	6,540,689,445	52,690,921	58,629,721,278	65,223,101,644	33.6%	21.5%	26.3%	27.0%




# Funding Level Considerations


## by Saffir-Simpson Intensity and HVG Gate | Cat 1-5 Hurricanes

**11/30/2021**  
**Data**

TWIA 2021-11-30 RMSv18.1 NT (in Millions USD)



TWIA 2021-11-30 AIRv8 NT



\*The above light bar graphs should be read as: Given that a Category X hurricane makes landfall in Gate Y; the average loss severity of the top 0.01% of Cat X landfalls in Gate Y is \$

\*The above dark bar graphs should be read as: Given that a Category X hurricane makes landfall in Gate Y; the expected (mean) loss of Cat X landfalls in Gate Y is \$



# How are Losses Derived?

## Year Based Event Losses

- Occurrence losses are mapped to specific years
- Losses have a definite value
- Losses are assigned to years
  - Aggregate calculations are less complex
- Probabilities are defined by the number of years in the event set
  - Ex: 10,000 year event set implies each year has a 1/10,000 probability

Frequency Distribution		Severity Distribution		Description
EventID	Ret. Period	Year	Loss	
270127481	10,000	4732	15,765,324,549	Cat 5 Houston gate
270205654	5,000	7622	15,690,509,265	Cat 5 Houston gate
270249179	3,333	9238	14,698,437,861	Cat 5 Houston gate
270256687	2,500	9516	12,690,509,002	Cat 4 Houston gate
270249947	2,000	9268	12,413,555,132	Cat 4 Houston gate
270215352	1,667	7977	12,389,984,482	Cat 5 Houston gate
270201846	1,429	7481	12,068,446,885	Cat 4 Houston gate
270035034	1,250	1302	12,030,984,543	Cat 4 Houston gate
270159943	1,111	5918	11,392,344,590	Cat 4 Houston gate
270214877	1,000	7959	11,160,836,760	Cat 4 Houston gate
...	...	...	...	...
270038792	102	1441	4,511,034,355	Cat 3 Houston gate
270039916	101	1482	4,493,561,816	Cat 4 Houston gate
270119776	100	4450	4,478,380,306	Cat 3 Houston gate
270226564	99	8392	4,374,081,357	Cat 4 Corpus Christi gate
270136428	98	5059	4,317,968,689	Cat 5 Houston gate

Similar event descriptions to top of curve around 100 yr. Return Period

## Probability Based Event Losses

- Each event is a random variable and losses have a definite value
- An event rate is assigned to each event describing how often the event occurs on an annual basis
  - Aggregate calculations are more complex
- Return Period = 1/Cumulative EP

Frequency Distribution			Severity Distribution		Description
EventID	Ret. Period	Rate	Loss		
2862476	223,139	5.72E-06	31,090,763,789		Cat 5 Galveston Co TX
2873171	81,812	7.33E-06	27,806,138,925		Cat 5 Jefferson Co TX
2858622	55,749	4.12E-06	25,954,051,000		Cat 5 Galveston Co TX
2849633	39,258	3.44E-06	24,691,567,473		Cat 5 Kenedy Co TX
2849520	29,102	3.35E-06	23,423,728,225		Cat 5 Galveston Co TX
2863287	19,966	2.86E-06	22,044,002,190		Cat 5 Galveston Co TX
2854831	18,917	6.05E-06	21,851,897,644		Cat 5 Galveston Co TX
2849173	14,742	2.37E-05	20,982,674,969		Cat 4 Galveston Co TX
2858711	10,406	2.28E-06	19,654,667,404		Cat 5 Galveston Co TX
2865997	9,876	4.39E-06	19,436,645,401		Cat 5 Galveston Co TX
...	...	...	...		...
2870221	101	3.73E-05	3,123,174,538		Cat 3 Galveston Co TX
2865600	101	7.75E-06	3,121,933,427		Cat 4 Brazoria Co TX
2850680	100	1.07E-06	3,110,958,306		Cat 5 Cameron Co LA (TX bypass)
2869831	100	1.14E-06	3,109,536,702		Cat 4 Nueces Co TX
2868829	99	4.09E-05	3,099,072,340		Cat 4 Galveston Co TX



# Managing Tail Risk Tolerance


What is TVaR and how can it inform your coverage decisions?

## Tail Value at Risk (TVaR)

- Average value of loss given that a loss at least as large as the selected EP return period loss has occurred
- Measures not only the probability of exceeding a certain loss level, but also the average severity of losses in the tail of the distribution
- Example: AIR 100 yr return period loss equals \$5,615.0m
  - TVaR is \$9,272.0m (TVaR will always be greater or equal to return period loss)
- Interpretation
  - PML: There is a 1% annual probability of a loss exceeding \$5,615.0m
  - TVaR: Given that at least a \$5,615.0m loss occurs, the average severity will be \$9,272.0m

### AEP - All Perils (Near-Term/Warm Sea Surface Temperature)

Verisk Touchstone v9				RMS RiskLink v21		
Return Period	TVaR	VaR	TVaR Ratio	TVaR	VaR	TVaR Ratio
1000 yr	16,366.7	13,905.9	1.18	17,995.8	12,813.7	1.40
500 yr	14,729.8	12,293.9	1.20	14,466.4	9,480.5	1.53
250 yr	12,646.1	8,859.2	1.43	11,112.0	6,519.2	1.70
200 yr	11,751.5	7,966.8	1.48	10,115.6	5,786.2	1.75
100 yr	9,272.0	5,615.0	1.65	7,419.9	3,944.4	1.88
50 yr	6,776.5	3,248.2	2.09	5,250.9	2,447.7	2.15
25 yr	4,557.6	1,691.4	2.69	3,532.1	1,376.8	2.57
20 yr	3,953.6	1,377.5	2.87	3,073.7	1,118.7	2.75
Annual avg	290.1	290.1	1.00	241.1	241.1	1.00
Std dev	1,123.2	1,123.2	1.00	958.1	958.1	1.00



Higher TVaR ratio in RMS indicates greater severity deviation from the aggregate 100 yr, although AIR has higher overall modeled losses



# B

## Appendix B

### Modeling Firm Disclaimers





# Limitations Regarding Use of Catastrophe Models

This report includes information that is output from catastrophe models of AIR Worldwide Corporation (Verisk), CoreLogic, Impact Forecasting, LLC (IF), and Risk Management Solutions, Inc. (RMS). The information from the models is provided by Aon Benfield Inc. (Aon) under the terms of its license agreements with Verisk, CoreLogic, IF, and RMS.

The results in this report from Verisk, CoreLogic, IF, and RMS are the products of the exposures modeled, the financial assumptions made concerning insurance terms such as deductibles and limits, and the risk models that project the dollars of damage that may be caused by defined catastrophe perils. Aon recommends that the results from these models in this report not be relied upon in isolation when making decisions that may affect the underwriting appetite, rate adequacy or solvency of the company.

The Verisk, CoreLogic, IF, and RMS models are based on scientific data, mathematical and empirical models, and the experience of engineering, geological, meteorological and terrorism experts. Calibration of the models using actual loss experience is based on very sparse data, and material inaccuracies in these models are possible. The loss probabilities generated by the models are not predictive of future hurricanes, other windstorms, or earthquakes or other natural or man made catastrophes, but provide estimates of the magnitude of losses that may occur in the event of such catastrophes.

Aon makes no warranty about the accuracy of the Verisk, CoreLogic, IF, and RMS models and has made no attempt to independently verify them. Aon will not be liable for any loss or damage arising from or related to any use of, or decisions based upon, data developed using the models of Verisk, CoreLogic, IF, and RMS, including without limitation special, indirect or consequential damages.



# Additional Limitations Of RMS



This report, and the analyses, models and predictions contained herein ("Information"), are based on data provided by TWIA , and compiled using proprietary computer risk assessment technology of Risk Management Solutions, Inc. ("RMS"). Such Information constitutes RMS confidential and proprietary information and trade secrets. TWIA shall (i) not disclose such Information to any third party; (ii) use such Information only for the purpose of facilitating an actual imminent reinsurance placement ("Purpose"); (iii) limit the disclosure of such Information only to its employees, partners and directors who have a need to know, provided that the receiving party shall ensure that each of those persons to whom such Information is to be disclosed is made aware of, and shall procure that such person or persons adhere to, the terms of these confidentiality restrictions; and (iv) use the same degree of care to prevent disclosure or use of such Information for other than the Purpose that it would use for its own confidential information (but in no case with less than a reasonable degree of care). The technology and data used in providing this Information is based on the scientific data, mathematical and empirical models, and encoded experience of scientists and specialists (including without limitation: earthquake engineers, wind engineers, structural engineers, geologists, seismologists, meteorologists, geotechnical specialists, mathematicians and cyber security experts). As with any model of physical systems, particularly those with low frequencies of occurrence and potentially high severity outcomes, the actual losses from catastrophic events may differ from the results of simulation analyses. Furthermore, the accuracy of predictions depends largely on the accuracy and quality of the data used by TWIA. The Information is provided under license to Aon and is either Aon's or RMS's proprietary and confidential information and may not be shared with any third party without the prior written consent of both Aon and RMS. Furthermore, this Information may only be used for the specific business purpose specified by TWIA and for no other purpose, and may not be used under any circumstances in the development or calibration of any product or service offering that competes with RMS. The recipient of this Information is further advised that RMS is not engaged in the insurance, reinsurance, or related industries, and that the Information provided is not intended to constitute professional advice. RMS SPECIFICALLY DISCLAIMS ANY AND ALL RESPONSIBILITIES, OBLIGATIONS AND LIABILITY WITH RESPECT TO ANY DECISIONS OR ADVICE MADE OR GIVEN AS A RESULT OF THE INFORMATION OR USE THEREOF, INCLUDING ALL WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL RMS (OR ITS PARENT, SUBSIDIARY, OR OTHER AFFILIATED COMPANIES) BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES WITH RESPECT TO ANY DECISIONS OR ADVICE MADE OR GIVEN AS A RESULT OF THE CONTENTS OF THIS INFORMATION OR USE THEREOF.



# Additional Limitations of Verisk - Touchstone



The attached Touchstone reports and any other Touchstone reports provided to you during the calendar year are provided to you in confidence, and you may not cause or permit disclosure, copying, display, loan, publication, transfer of possession (whether by sale, exchange, gift, operation of law or otherwise) or other dissemination of the Touchstone reports (or details of the methodology and analysis employed to develop the Touchstone reports) in whole or in part, to any third party without the prior written consent of Aon and AIR Worldwide Corporation (“Verisk”).

Notwithstanding the foregoing, you may disclose the Touchstone reports associated with your reinsurance or risk transfer programs to insurance regulators and disclose, in confidence, to your rating agencies, reinsurers, actuarial consultants, managing general agencies, risk managers, investment bankers (but not in connection with the placement of any insurance-linked securities) and auditors (but in no event to any entity in the business of developing loss estimation models), provided that, in the event of any such disclosure, you clearly acknowledge in writing that Verisk owns the exclusive right and title to the Touchstone reports and the methods employed to develop them.

You may not alter or remove any copyrights, trade secret, patent, proprietary and/or other legal notices contained on or in copies of the Touchstone reports. The existence of any such copyright notice on the Touchstone reports shall not be construed as an admission, or be deemed to create a presumption, that publication of such materials has occurred.

The Touchstone reports are intended to function as one of several tools which you will use in analyzing your estimated and potential losses from certain natural hazards. The estimation of hazards and potential losses involves uncertainties and depends on environmental, demographic and regulatory factors beyond the control of Aon and Verisk. The Touchstone reports depend on data and inputs which you have supplied. The assumptions and methodologies used by Verisk in creating Touchstone may not constitute the exclusive set of reasonable assumptions and methodologies, and the use of alternative assumptions and methodologies could yield materially different results. The loss probabilities indicated by the Touchstone reports are estimates of the magnitude of losses that may occur in the event of such natural hazards; they are not factual and do not predict future events. Actual loss experience can differ materially.

No responsibility is or shall be assumed or implied by Aon or Verisk for loss or damage to you resulting from inaccuracies contained therein nor shall Aon or Verisk be liable to you or others for any adverse results experienced in utilizing the Touchstone reports.



# Additional Limitations of CoreLogic

This report contains CoreLogic Solutions' and Aon's confidential information and i) recipient agrees to treat this report as strictly confidential; and ii) in consideration of having been provided access to this report or any information contained therein, recipient agrees that neither CoreLogic Solutions nor Aon has any liability for such report or other information derived from the report or any use that may be made thereof by recipient. Recipient further agrees that all risks associated with the use of the report, or any information contained or derived therefrom, shall be borne entirely by recipient.





# Additional Limitations of IF

The results listed in this report are based on engineering / scientific analysis and data, information provided by the client, and mathematical and empirical models. The accuracy of the results depends on the uncertainty associated with each of these areas. In particular, as with any model, actual losses may differ from the results of simulations. It is only possible to provide plausible results based on complete and accurate information provided by the client and other reputable data sources. Furthermore, this information may only be used for the business application specified by Impact Forecasting, LLC and for no other purpose. It may not be used to support development of or calibration of a product or service offering that competes with Impact Forecasting, LLC. The information in this report may not be used as a part of or as a source for any insurance rate filing documentation.

THIS INFORMATION IS PROVIDED "AS IS" AND IMPACT FORECASTING, LLC HAS NOT MADE AND DOES NOT MAKE ANY WARRANTY OF ANY KIND WHATSOEVER, EXPRESSED OR IMPLIED, WITH RESPECT TO THIS REPORT; AND ALL WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY IMPACT FORECASTING, LLC. IMPACT FORECASTING, LLC WILL NOT BE LIABLE TO ANYONE WITH RESPECT TO ANY DAMAGES, LOSS OR CLAIM WHATSOEVER, NO MATTER HOW OCCASIONED, IN CONNECTION WITH THE PREPARATION OR USE OF THIS REPORT.